

ON THE MULTI-MODE, MULTI-SKILL RESOURCE CONSTRAINED **PROJECT SCHEDULING PROBLEM (MRCPSP-MS)**

University of Minho

School of Engineering

Production and Systems Department



The problem presented here belongs to the class of the optimization scheduling problems with multi-level (or multi-mode) activities. This means that the activities can be scheduled at different modes, each mode using a different resource level, implying different costs and durations. Each activity must be allocated exactly one unit of each required resource and the resource unit may be used at any of its specified levels. The processing time of an activity is given by the maximum of the durations that

Briefly, the constraints of this problem are:

Respect the precedence among the activities.

• A unit of the resource is allocated to at most one activity at any time (the unit of the resource may be idle during an interval) at one level.

• Respect the capacity of the resource availability: The total units allocated at any time should not exceed the capacity of

would result from a specific allocation of resources. The objective is to find the optimal solution that minimizes the overall project cost, while respecting a delivery date. A penalty is included for tardiness beyond the specified delivery date.

the resource to which these units belong.

• An activity can be started only when it is sequence-feasible and all the requisite resources are available, each perhaps at its own level, and must continue at the same levels of all the resources without interruption or preemption.


Software Developed

Load Project	Save Project	Save Solution	Create New Pro	oject								
					Due Deter							
Project:					Due Date:		Beam Va	alue:	Execu	ute		
	Bonus:		Penalty:									
		0										
			🔩 Project De	tails			×					
			Project Nan	ne:						1 - S.M.		
			Number of	Activities								
			Number of	Activities								
			Number of	Resources:				A. ()				
										A		
							_	-	11			
						Next >						
			🔩 Abrir					×				
			<u>P</u> rocurar em:	🐌 redes		-						
Solution						T T T T T T	•					
Solution							•			^		
Solution			S]▼			*		
Solution	•			<	<0>>			xml version="1</td <td>1.0"?></td> <td>*</td> <td></td> <td></td>	1.0"?>	*		
Solution			S					<netproject td="" xmln<=""><td>ns:xsi="<u>http://www.w</u></td><td>3.org/2001/XMLSchem</td><td>a-instance" xmlns:xsd</td><td>d="http://www.w3.org/20</td></netproject>	ns:xsi=" <u>http://www.w</u>	3.org/2001/XMLSchem	a-instance" xmlns:xsd	d="http://www.w3.org/20
Solution			Localizações					<netproject xmln<br="">DueDate="24" Cos</netproject>		3.org/2001/XMLSchem onus="10" Name="Net	a-instance" xmlns:xsd work2"≻	d=" <u>http://www.w3.org/20</u>
Solution			Localizações Ambiente de trabalho					<netproject xmlr<br="">DueDate="24" Cos <activities> <activity id<="" td=""><td>ns:xsi="<u>http://www.w</u> stPenalty="20" CostBo d="A1"></td><td>3.org/2001/XMLSchem onus="10" Name="Net</td><td><u>a-instance</u>" xmlns:xsd work2"≻</td><td>d="http://www.w3.org/20</td></activity></activities></netproject>	ns:xsi=" <u>http://www.w</u> stPenalty="20" CostBo d="A1">	3.org/2001/XMLSchem onus="10" Name="Net	<u>a-instance</u> " xmlns:xsd work2"≻	d="http://www.w3.org/20
Solution	5		Localizações Miniente de trabalho					<netproject xmln<br="">DueDate="24" Cos <activities></activities></netproject>	ns:xsi=" <u>http://www.w</u> stPenalty="20" CostBo d="A1">	3.org/2001/XMLSchem onus="10" Name="Net	<u>a-instance</u> " xmlns:xsd work2"≻	d="http://www.w3.org/20
Solution	5		Localizações Ambiente de trabalho					<netproject xmln<br="">DueDate="24" Cos <activities> <activity id<br=""><resources <item> <key></key></item></resources </activity></activities></netproject>	ns:xsi=" <u>http://www.w</u> stPenalty="20" CostBo d="A1"> sXml>	3.org/2001/XMLSchem onus="10" Name="Net	<u>a-instance</u> " xmlns:xsd work2">	d=" <u>http://www.w3.org/20</u>
Solution	5		Localizações Ambiente de trabalho					<netproject xmln<br="">DueDate="24" Cos <activities> <activity id<br=""><resources <item> <key> <str< td=""><td>ns:xsi="<u>http://www.w</u> stPenalty="20" CostBo d="A1"> sXml></td><td>3.org/2001/XMLSchem onus="10" Name="Net</td><td><u>a-instance</u>" xmlns:xsd work2"></td><td>d="<u>http://www.w3.org/20</u></td></str<></key></item></resources </activity></activities></netproject>	ns:xsi=" <u>http://www.w</u> stPenalty="20" CostBo d="A1"> sXml>	3.org/2001/XMLSchem onus="10" Name="Net	<u>a-instance</u> " xmlns:xsd work2">	d=" <u>http://www.w3.org/20</u>
Solution	5		Localizações Ambiente de trabalho Bibliotecas					<netproject xmln<br="">DueDate="24" Cos <activities> <activity id<br=""><resources <item> <key> <str </str </key> <value< td=""><td>ns:xsi="<u>http://www.w</u> stPenalty="20" CostBo d="A1"> sXml> hing>R1 ol</td><td>3.org/2001/XMLSchem onus="10" Name="Net</td><td><u>a-instance</u>" xmlns:xsd work2"≻</td><td>d="<u>http://www.w3.org/20</u></td></value<></item></resources </activity></activities></netproject>	ns:xsi=" <u>http://www.w</u> stPenalty="20" CostBo d="A1"> sXml> hing>R1 ol	3.org/2001/XMLSchem onus="10" Name="Net	<u>a-instance</u> " xmlns:xsd work2"≻	d=" <u>http://www.w3.org/20</u>
Solution			Localizações Ambiente de trabalho					<netproject xmln<br="">DueDate="24" Cos <activities> <activities> <resources <item> <key> <str </str </key> <value <arr< td=""><td>hs:xsi="<u>http://www.w</u> stPenalty="20" CostBo d="A1"> sXml> hing>R1 h s> rayOfLevel></td><td>onus="10" Name="Net</td><td>work2"></td><td>d="<u>http://www.w3.org/20</u></td></arr<></value </item></resources </activities></activities></netproject>	hs:xsi=" <u>http://www.w</u> stPenalty="20" CostBo d="A1"> sXml> hing>R1 h s> rayOfLevel>	onus="10" Name="Net	work2">	d=" <u>http://www.w3.org/20</u>
Solution			Localizações Ambiente de trabalho Bibliotecas Computador					<netproject xmln<br="">DueDate="24" Cos <activities> <activity id<br=""><resources <item> <key> <str </str </key> <value <arr <l< td=""><td><pre>s:xsi="http://www.wi stPenalty="20" CostBo d="A1"> sXml> sXml> ring>R1 ayOfLevel> .evel Cost="28" Dura .evel Cost="24" Dura</pre></td><td>onus="10" Name="Net tion="14" Id="1" /></td><td>work2"></td><td>d="<u>http://www.w3.org/20</u></td></l<></arr </value </item></resources </activity></activities></netproject>	<pre>s:xsi="http://www.wi stPenalty="20" CostBo d="A1"> sXml> sXml> ring>R1 ayOfLevel> .evel Cost="28" Dura .evel Cost="24" Dura</pre>	onus="10" Name="Net tion="14" Id="1" />	work2">	d=" <u>http://www.w3.org/20</u>
Solution			Localizações Ambiente de trabalho Bibliotecas Computador	network1.xml				<netproject xmln<br="">DueDate="24" Cos <activities> <activities> <resources <item> <key> <str </str </key> <value <arr <l <l< td=""><td><pre>s:xsi="<u>http://www.w</u> stPenalty="20" CostBo d="A1"> sXml> sxml> expofLevel> .evel Cost="28" Duration .evel Cost="24" Duration rayOfLevel></pre></td><td>onus="10" Name="Net tion="14" Id="1" /></td><td>work2"></td><td>d="<u>http://www.w3.org/20</u></td></l<></l </arr </value </item></resources </activities></activities></netproject>	<pre>s:xsi="<u>http://www.w</u> stPenalty="20" CostBo d="A1"> sXml> sxml> expofLevel> .evel Cost="28" Duration .evel Cost="24" Duration rayOfLevel></pre>	onus="10" Name="Net tion="14" Id="1" />	work2">	d=" <u>http://www.w3.org/20</u>
Solution			Localizações Ambiente de trabalho Bibliotecas Bibliotecas	network1.xml	network2.xml		Abrir	<netproject xmln<br="">DueDate="24" Cos <activities> <activity id<br=""><resources <item> <key> <str </str </key> <value <arr </arr </value </item></resources </activity></activities></netproject>	<pre>s:xsi="<u>http://www.w</u> stPenalty="20" CostBo d="A1"> sXml> sxml> expofLevel> evel Cost="28" Duration evel Cost="24" Duration rayOfLevel> sevel Cost="24" Duration rayOfLevel> sevel</pre>	onus="10" Name="Net tion="14" Id="1" />	work2">	d=" <u>http://www.w3.org/20</u>
Solution			Localizações Ambiente de trabalho Bibliotecas Bibliotecas	network1.xml				<netproject xmln<br="">DueDate="24" Cos <activities> <activity id<br=""><resources <item> <key> <str </str </key> <value <arr </arr </value </item></resources </activity></activities></netproject>	<pre>s:xsi="http://www.wj stPenalty="20" CostBo d="A1"> sXml> sXml> evayofLevel> .evel Cost="28" Durat .evel Cost="24" Durat rrayofLevel> .evel Cost="24" Durat</pre>	onus="10" Name="Net tion="14" Id="1" />	work2">	d=" <u>http://www.w3.org/20</u>

Mathematical Model

Let:

- G(N,A): Project network in AoA representation, with a set of N nodes,
- representing the events and A activities.
- *n*: number of nodes; n = |N|.
- *m*: number of arcs or number of activities; m = |A|.
- a: activity, which may also be represented by arc (i, j).
- r: resource $r \in |R|$
- C^k: the kth uniformly directed cutset (udc) of the project network that is traversed by the project progression; k = 1, ..., K.
- *l*: level at which a resource is applied to an activity.
- $x_{(a, r, p)}$: a binary variable, of value 1 if resource r is allocated to activity a at level l, and 0 otherwise.
- p(a, r, l): the processing time of activity a when resource r is allocated at level l.
- p(a): processing time of the activity a (considering all resources).
- c(a, r, l): resource cost of activity a when resource r is allocated at level l.
- $c_R(a)$: resource cost of the activity *a* (considering all resources).
- η_a : the count of resources required by activity *a*.



Where:

 $TC = C_R + C_{ET}$

 $d \ge t_n - T_s$


 $e, d \geq 0$

- ρ : number of resources, $\rho = |R|$.
- b_r : capacity of resource r.
- $\gamma(r, l)$: marginal cost of resource r at level l.
- γ_E : marginal gain from early completion of the project.
- γ_L : marginal loss (penalty) from late completion of the project.
- t_i : time of realization of node *i* (AoA representation), where node 1 is the "start node" of the project and node *n* its "end node".
- T_s : target completion time of the project.
- c_E : earliness cost.
- c_T : tardiness cost.

--> Activities Schedulling :


- c_{ET} : earliness-tardiness cost.
- c_R : total resource cost for all project activities.
- TC: total cost of the project.






--> Activities Schedulling :

$c_R = \sum_{a \in A} c_R(a)$
$c_{ET} = c_E + c_T = \gamma_E \cdot e + \gamma_L \cdot d$
$c_R(a) = \sum_{r \in R} c(a, r, l)$
$c(a,r,l) = \gamma(r,l) * p(a,r,l)$
$e \geq T_s - t_n$







Activity A1 - Start: 0 End: 12 Duration: 12 R1 Level 2 (Cost: 24 Duration: 6) R3 Level 1 (Cost: 12 Duration: 12) R4 Level 3 (Cost: 35 Duration: 7) Activity A3 - Start: 0 End: 12 Duration: 12 R1 Level 2 (Cost: 48 Duration: 12) R2 Level 3 (Cost: 70 Duration: 10) Activity A2 - Start: 12 End: 16 Duration: 4 R2 Level 3 (Cost: 21 Duration: 3) R4 Level 3 (Cost: 20 Duration: 4)

Activity A1 - Start: 0 End: 12 Duration: 12 R1 Level 2 (Cost: 24 Duration: 6) R3 Level 1 (Cost: 12 Duration: 12) R4 Level 3 (Cost: 35 Duration: 7) Activity A3 - Start: 0 End: 12 Duration: 12 R1 Level 2 (Cost: 48 Duration: 12) R2 Level 3 (Cost: 70 Duration: 10) Activity A2 - Start: 12 End: 16 Duration: 4 R2 Level 3 (Cost: 21 Duration: 3) R4 Level 3 (Cost: 20 Duration: 4) Activity A4 - Start: 16 End: 26 Duration: 10 R1 Level 1 (Cost: 20 Duration: 10) R2 Level 3 (Cost: 35 Duration: 5) R3 Level 3 (Cost: 50 Duration: 10) Activity A5 - Start: 16 End: 26 Duration: 10 | R1 Level 2 (Cost: 40 Duration: 10) | R3 Level 3 (Cost: 25 Duration: 5)



Anabela P. Tereso (University of Minho, Portugal)

Salah E. Elmaghraby (North Carolina State University Raleigh, USA)

Mónica A. Santos (University of Minho, Portugal)