

A panoramic view on Metadata Application Profiles of the last decade - Matrix III Encoding Schemes

Mariana Curado Malta and Ana Alice Baptista
mariana.malta@algoritmi.dsi.uminho.pt and analice@dsi.uminho.pt
Algoritmi Center, University of Minho, Portugal

March 9, 2013

1 Introduction

These are the results (third set of dimensions) of a study reported in the paper “A panoramic view on Metadata Application Profiles of the last decade“. Please refer to this the paper for more information concerning the aim of the study and the work methodology.

- The information of the syntax encoding schemes use in the AP of the study is listed in table 1. This information is organised in alphabetical order of the field ”Label“.
- The information of the vocabulary encoding schemes used in the AP of the study is listed in table 2. No specific order is followed for this information.

Table 1: Syntax Encoding Schemes

Label:	AGLS Availability
Definition:	The availability property provides information about how to obtain offline resources. Agents are people, organisations or instruments associated with resources. The AGLS Availability Syntax Encoding Scheme is a method for describing characteristics of agents in AGLS metadata descriptions. Values for the availability property will contain information about the agent making the resource available.
URI:	http://www.agls.gov.au/agls/terms/AglsAvail
See:	http://www.agls.gov.au/documents/AglsAvail/
Label:	AGLS Agent
Definition:	The creator, publisher, contributor and rightsHolder properties provide information about agents associated with a resource. Agents are people, organisations or instruments associated with resources. The AGLS Agent Syntax Encoding Scheme is a method for describing characteristics of agents in AGLS metadata descriptions.

(continued on next page)

(continued from the previous page)

URI:	http://www.agls.gov.au/agls/AglsAgent/
See:	http://www.agls.gov.au/documents/AglsAgent/
Label:	DCMI Point
Definition:	The set of points in space defined by their geographic coordinates according to the DCMI Point Encoding Scheme.
URI:	http://purl.org/dc/terms/Point
See:	http://dublincore.org/usage/terms/history/#Point-003
Label:	DCMI Box
Definition:	The set of regions in space defined by their geographic coordinates according to the DCMI Box Encoding Scheme.
URI:	http://purl.org/dc/terms/Box
See:	http://dublincore.org/documents/dcmi-box/
Label:	DCMI Period
Definition:	The set of time intervals defined by their limits according to the DCMI Period Encoding Scheme.
URI:	http://purl.org/dc/terms/Period
See:	http://dublincore.org/documents/dcmi-period/
Label:	ISO 3166-1
Definition:	The set of codes listed in ISO 3166-1 for the representation of names of countries.
URI:	http://purl.org/dc/terms/ISO3166
See:	http://www.iso.org/iso/iso_catalogue/catalogue_tc/catalogue_detail.htm?csnumber=39719
Label:	ISO 3166-2
Definition:	Codes for the representation of names of countries and their subdivisions – Part 2: Country subdivision code.
URI:	http://purl.org/dc/terms/ISO3166
See:	http://www.iso.org/iso/iso_catalogue/catalogue_tc/catalogue_detail.htm?csnumber=39718
Label:	ISO 639-2
Definition:	The three-letter alphabetic codes listed in ISO639-2 for the representation of names of languages.
URI:	http://purl.org/dc/terms/ISO639-2
See:	http://lcweb.loc.gov/standards/iso639-2/langhome.html
Label:	RFC 1766
Definition:	The set of tags, constructed according to RFC 1766, for the identification of languages.
URI:	http://purl.org/dc/terms/RFC1766
See:	http://dublincore.org/usage/terms/history/#RFC1766-003

(continued on next page)

(continued from the previous page)

Label:	RFC 3066
Definition:	The set of tags constructed according to RFC 3066 for the identification of languages. RFC 3066 has been obsoleted by RFC 4646.
URI:	http://purl.org/dc/terms/RFC3066
See:	http://www.ietf.org/rfc/rfc3066.txt
Label:	RFC 4646
Definition:	a language tag for use in cases where it is desired to indicate the language used in an information object, how to register values for use in this language tag, and a construct for matching such language tags
URI:	http://purl.org/dc/terms/RFC3066
See:	http://www.ietf.org/rfc/rfc3066.txt
Label:	URI
Definition:	The set of identifiers constructed according to the generic syntax for Uniform Resource Identifiers as specified by the Internet Engineering Task Force.
URI:	http://purl.org/dc/terms/URI
See:	http://www.ietf.org/rfc/rfc3986.txt
Label:	W3C-DTF
Definition:	The set of dates and times constructed according to the W3C Date and Time Formats Specification.
URI:	http://purl.org/dc/terms/W3CDTF
See:	http://www.w3.org/TR/NOTE-datetime

Table 1 – Syntax Encoding Schemes

Table 2: Vocabulary Encoding Schemes

Label:	DCMI Type Vocabulary
URI:	http://purl.org/dc/terms/DCMIType
Definition:	The set of classes specified by the DCMI Type Vocabulary, used to categorize the nature or genre of the resource.
See:	http://dublincore.org/documents/dcmi-type-vocabulary/
See:	http://purl.org/dc/dcmitype/
Label:	DDC
Definition:	The set of conceptual resources specified by the Dewey Decimal Classification.
URI:	http://purl.org/dc/terms/DDC
See:	http://www.oclc.org/dewey/
Label:	IMT
Definition:	The set of media types specified by the Internet Assigned Numbers Authority.
URI:	http://purl.org/dc/terms/IMT
See:	http://www.iana.org/assignments/media-types/

(continued on next page)

(continued from the previous page)

Label:	LCC
Definition:	The set of conceptual resources specified by the Library of Congress Classification.
URI:	http://purl.org/dc/terms/LCC
See:	http://lcweb.loc.gov/catdir/cpso/lcco/lcco.html

Label:	LCSH
Definition:	The set of labeled concepts specified by the Library of Congress Subject Headings.
URI:	http://purl.org/dc/terms/LCSH
See:	n/a

Label:	LCNAF
Definition:	The Library of Congress Name Authority File (NAF) file provides authoritative data for names of persons, organizations, events, places, and titles. Its purpose is the identification of these entities and, through the use of such controlled vocabulary, to provide uniform access to bibliographic resources. Names descriptions also provide access to a controlled form of name through references from unused forms, e.g. a search under: Snodgrass, Quintus Curtius, 1835-1910 will lead users to the authoritative name for Mark Twain, which is, "Twain, Mark, 1835-1910." Names may also be used as subjects in bibliographic descriptions, so they may be combined with controlled values from subject heading schemes, such as LCSH.
URI:	http://id.loc.gov/authorities/names
See:	http://id.loc.gov/authorities/names.html

Label:	MeSH
Definition:	The set of labeled concepts specified by the Medical Subject Headings.
URI:	http://purl.org/dc/terms/MESH
See:	http://www.nlm.nih.gov/mesh/meshhome.html

Label:	NLM
Definition:	The set of conceptual resources specified by the National Library of Medicine Classification.
URI:	http://purl.org/dc/terms/NLM
See:	http://wwwcf.nlm.nih.gov/class/

Label:	TGN
Definition:	The set of places specified by the Getty Thesaurus of Geographic Names.
URI:	http://purl.org/dc/terms/TGN
See:	http://www.getty.edu/research/tools/vocabulary/tgn/index.html

Label:	UDC
Definition:	The set of conceptual resources specified by the Universal Decimal Classification.
URI:	http://purl.org/dc/terms/UDC

(continued on next page)

(continued from the previous page)

See:	http://www.udcc.org/
------	---

Label:	AGLS Service
Definition:	The serviceType property provides information about service types when a resource is a service. The AGLS Service Vocabulary Encoding Scheme is a controlled list of terms for providing service type values in AGLS metadata records. This list describes the logical form of the service and is not governed by the format of the service. Service types described may be online or offline.
URI:	http://www.agls.gov.au/agls/terms/agls-service
See:	http://www.agls.gov.au/documents/agls-service/

Label:	AGLS Document
Definition:	The documentType property provides information about document types when a resource is a document. The AGLS Document Vocabulary Encoding Scheme is a controlled list of terms for providing document type values in AGLS metadata records. This list describes the logical form of the resource and is not governed by the format of the document. Document types described may be digital or non-digital.
URI:	http://www.agls.gov.au/agls/terms/agls-document
See:	http://www.agls.gov.au/documents/agls-document/

Label:	AGLS Jurisdiction
Definition:	The AGLS Jurisdiction Vocabulary Encoding Scheme is a controlled list of terms for providing Australian jurisdiction values in AGLS metadata records.
URI:	http://www.agls.gov.au/agls/terms/AglsJuri
See:	http://www.agls.gov.au/documents/AglsJuri/

Label:	AGLS Audience
Definition:	The audience property provides information about the target audience for whom a resource is intended. The AGLS Audience Vocabulary Encoding Scheme is a controlled list of terms for providing audience type values in AGLS metadata records.
URI:	http://www.agls.gov.au/agls/agls-audience/
See:	http://www.agls.gov.au/documents/agls-audience/

Label:	PRONOM
Definition:	PRONOM is a technical registry that contains information about FileFormats, SoftwarePackages, CompressionTypes and CharacterEncodings.
URI:	http://test.linkeddatapronom.nationalarchives.gov.uk/vocabulary/pronom-vocabulary.rdf
See:	http://test.linkeddatapronom.nationalarchives.gov.uk/vocabulary/pronom-vocabulary.htm

Label:	VMAP MusicEntity Type
URI:	http://purl.org/NET/vmap/entityType
Definition:	n/a

(continued on next page)

(continued from the previous page)

See:	n/a
------	-----

Label:	VMAP MusicalFormType
URI:	http://purl.org/net/vmap/musicalForm/
Definition:	n/a
See:	n/a

Label:	VMAP MusicGenreType
URI:	http://purl.org/net/vmap/musicGenre/
Definition:	n/a
See:	n/a

Label:	VMAP TargetedStudent
URI:	http://purl.org/net/vmap/targetedStudent/
Definition:	n/a
See:	n/a

Label:	VMAP MusicStyleType
URI:	http://purl.org/net/vmap/musicGenre/
Definition:	This sections defines a simple vocabulary for use within the vmap:musicStyle property in the Variazioni Musical Application Profile
See:	n/a

Label:	VMAP Tonality
URI:	http://purl.org/net/vmap/tonalityType
Definition:	n/a
See:	n/a

Label:	VMAP rhythmType
URI:	http://purl.org/net/vmap/rhythmType/
Definition:	n/a
See:	n/a

Label:	VMAP scoreType
URI:	http://purl.org/net/scoreType/
Definition:	n/a
See:	n/a

Label:	VMAP documentType
URI:	http://purl.org/net/documentType/
Definition:	n/a
See:	n/a

Label:	VMAP learningModality
URI:	http://purl.org/net/learningModality
Definition:	n/a

(continued on next page)

(continued from the previous page)

See:	n/a
------	-----

Label:	VMAP classType
URI:	http://purl.org/net/classType/
Definition:	n/a
See:	n/a

Label:	VMAP educationLevelType
URI:	http://purl.org/net/educationLevelType
Definition:	n/a
See:	n/a

Label:	VMAP conferenceType
URI:	http://purl.org/net/conferenceType/
Definition:	n/a
See:	n/a

Label:	VMAP conferenceTopic
URI:	http://purl.org/net/conferenceTopic/
Definition:	n/a
See:	n/a

Label:	VMAP musicPerformance Ttype
URI:	http://purl.org/net/musicPerformanceType/
Definition:	n/a
See:	n/a

Label:	VMAP productionType
URI:	http://purl.org/net/vmap/productionType/
Definition:	n/a
See:	n/a

Label:	VMAP sourceFormatType
URI:	http://purl.org/net/vmap/sourceFormatType/
Definition:	n/a
See:	n/a

Label:	VMAP colorType
URI:	http://purl.org/net/vmap/colorType/
Definition:	n/a
See:	n/a

Label:	VMAP directionType
URI:	http://purl.org/net/directionType/
Definition:	n/a
See:	n/a

(continued on next page)

(continued from the previous page)

Label:	VMAP conservationStateType
URI:	http://purl.org/net/conservationStateType/
Definition:	n/a
See:	n/a

Label:	VMAP scoreFormatType
URI:	http://purl.org/net/musicalFormatType/
Definition:	n/a
See:	n/a

Label:	VMAP keyType
URI:	http://purl.org/net/keyType
Definition:	n/a
See:	n/a

Label:	VMAP keyModeType
URI:	http://purl.org/net/keyModeType/
Definition:	n/a
See:	n/a

Label:	VMAP recordStatusType
URI:	http://purl.org/net/recordStatusType
Definition:	n/a
See:	n/a

Label:	Eprint Entity Type Vocabulary
URI:	http://purl.org/eprint/terms/EntityType/#
Definition:	A list of types used to indicate an entity in the Eprints Model.
See:	http://purl.org/eprint/entityType/

Label:	Eprint Access Rights
URI:	http://purl.org/eprint/terms/AccessRights/#
Definition:	A list of terms used to indicate access rights to a copy of an eprint.
See:	http://purl.org/eprint/accessRights/

Label:	Eprint Status
URI:	http://purl.org/eprint/terms/Status/#
Definition:	A list of terms used to indicate the peer-reviewed status of an expression of an eprint.
See:	http://purl.org/eprint/status/

Label:	Eprint Type
URI:	http://purl.org/eprint/terms/Type/#
Definition:	A list of types used to categorize the nature or genre of an expression of an eprint.

(continued on next page)

(continued from the previous page)

See:	http://purl.org/eprint/type/
------	---

Label:	Darwin Core Type Vocabulary
URI:	http://rs.tdwg.org/dwc/terms/type-vocabulary/
Definition:	The Darwin Core Type Vocabulary extends the DCMI Type Vocabulary and provides a list of approved values that may be used for the basisOfRecord term to identify the specific type of a resource
See:	

Label:	AGROVOC
URI:	http://aims.fao.org/aos/agrovoc
Definition:	AGROVOC is a multilingual structured thesaurus of all subject fields in agriculture, forestry, fisheries, food and related domains (e.g. environment). It consists of words or expressions (terms), in different languages and organized in relationships (e.g. “broader” “narrower” and “related”), used to identify or search resources. Its main role is to standardize the indexing process in order to make searching simpler and more efficient, and to provide the user with the most relevant resources.
See:	http://aims.fao.org/standards/agrovoc/linked-open-data

Label:	Thesaurus for the Social Sciences
URI:	http://lod.gesis.org/pubby/page/thesoz/concept/
Definition:	The Thesaurus for the Social Sciences (Thesaurus Sozialwissenschaften) is a crucial instrument for the content-oriented search by keywords in SOFIS and SOLIS. The list of keywords contains about 12,000 entries, of which more than 8,000 are descriptors (authorised keywords) and about 4,000 non-descriptors. Topics in all of the social science disciplines are included.
See:	http://www.gesis.org/en/services/research/thesauri-und-klassifikationen/social-science-thesaurus/

Label:	Eurovoc
URI:	http://eurovoc.europa.eu/schema#
Definition:	EuroVoc is a multilingual, multidisciplinary thesaurus covering the activities of the EU, the European Parliament in particular. It contains terms in 22 EU languages (Bulgarian, Czech, Danish, Dutch, English, Estonian, Finnish, French, German, Greek, Hungarian, Italian, Latvian, Lithuanian, Maltese, Polish, Portuguese, Romanian, Slovak, Slovenian, Spanish and Swedish), plus Croatian and Serbian. EuroVoc users include the European Parliament, the Publications Office, national and regional parliaments in Europe, plus national governments and private users around the world.
See:	http://eurovoc.europa.eu/drupal/

Label:	The National Agricultural Library’s Agricultural Thesaurus
URI:	http://lod.nal.usda.gov/nalt/
Definition:	The Thesaurus and Glossary are online vocabulary tools of agricultural terms in English and Spanish

(continued on next page)

(continued from the previous page)

See:	http://agclass.nal.usda.gov/
------	---

Label:	STW Thesaurus for Economics
URI:	http://zbw.eu/stw/descriptor/
Definition:	The thesaurus provides vocabulary on any economic subject: more than 6,000 standardized subject headings and about 19,000 entry terms to support individual keywords. You can also find technical terms used in law, sociology, or politics, and geographic names.
See:	http://zbw.eu/stw/versions/latest/about

Label:	DBPEDIA
URI:	http://dbpedia.org/page/
Definition:	DBpedia is a community effort to extract structured information from Wikipedia and to make this information available on the Web. DBpedia allows you to ask sophisticated queries against Wikipedia, and to link other data sets on the Web to Wikipedia data. We hope this will make it easier for the amazing amount of information in Wikipedia to be used in new and interesting ways, and that it might inspire new mechanisms for navigating, linking and improving the encyclopaedia itself.
See:	http://dbpedia.org

Label:	CC REL
URI:	http://creativecommons.org/ns
Definition:	The Creative Commons Rights Expression Language (CC REL) is a specification describing how license information may be described using RDF and how license information may be attached to works.
See:	http://wiki.creativecommons.org/CC_REL
See:	http://creativecommons.org/schema.rdf

Label:	ISA core location vocabulary
Definition:	The Core Location Vocabulary is a simplified, reusable and extensible data model that captures the fundamental characteristics of a location, represented as an address, a geographic name, or a geometry.
URI:	http://example.org/ns/locn#
See:	https://joinup.ec.europa.eu/asset/core_location/aescription

Label:	ISA core person vocabulary
Definition:	The Core Person Vocabulary is a simplified, reusable and extensible data model that captures the fundamental characteristics of a person, e.g. the name, the gender, the date of birth, the location, ...
URI:	http://example.org/ns/person#
See:	https://joinup.ec.europa.eu/asset/core_person/aescription

Label:	ISA core business vocabulary
---------------	-------------------------------------

(continued on next page)

(continued from the previous page)

Definition:	The Core Business Vocabulary is a simplified, reusable and extensible data model that captures the fundamental characteristics of a legal entity, e.g. the legal name, the activity, address, ...
URI:	http://example.org/ns/legal#
See:	https://joinup.ec.europa.eu/asset/core.business/description

Label:	Dublin Core Collection Description Accrual Method Vocabulary
Definition:	The Collection Description Accrual Method Vocabulary provides a set of terms that can be used as values of the dcterms:accrualPolicy property in descriptions of collections.
URI:	http://purl.org/cld/terms/AccrualMethod
See:	http://dublincore.org/groups/collections/accrual-method/

Label:	Dublin Core Collection Description Frequency Vocabulary
Definition:	The Collection Description Frequency Vocabulary provides a set of terms that can be used as values of the dcterms:accrualPeriodicity property in descriptions of collections.
URI:	http://purl.org/cld/terms/Frequency
See:	http://dublincore.org/groups/collections/frequency/

Label:	Dublin Core Collection Description Accrual Policy Vocabulary
Definition:	The Collection Description Accrual Policy Vocabulary provides a set of terms that can be used as values of the dcterms:accrualPolicy property in descriptions of collections.
URI:	http://purl.org/cld/terms/AccrualPolicy
See:	http://dublincore.org/groups/collections/accrual-policy/

Label:	Aquatic Science and Fisheries Abstracts Thesaurus
Definition:	A controlled vocabulary of terms, especially key words, in fisheries for use in indexing and information retrieval created by ASFA (Aquatic Sciences and Fisheries Abstracts)
URI:	http://purl.org/agmes/1.1/ASFAT
See:	http://www4.fao.org/asfa/asfa.htm

Label:	BT
Definition:	It is one of the most comprehensive and freely accessible biological thesauri available online
URI:	http://purl.org/agmes/1.1/BT
See:	

Label:	CABT
Definition:	A controlled vocabulary of terms, especially keywords, in agricultural sciences for use in indexing and information retrieval created and produced by CAB International
URI:	http://purl.org/agmes/1.1/CABT
See:	http://www.cabi.org/cabthesaurus/

(continued on next page)

(continued from the previous page)

Label:	LEMB Thesaurus
Definition:	Subject Headings List handled by Digital LEMB, is composed of a standardized language that covers all the knowledge areas, consisting of principles that are worldwide accepted, and that allows a controlled vocabulary in order to analyze and recover information
URI:	http://purl.org/agmes/1.1/LEMB
See:	http://sshdigital.com/english/index-2.html

Label:	NALT
Definition:	A controlled vocabulary of terms, especially key words, in agricultural sciences for use in indexing and information retrieval created by National Agricultural Library (NAL) of United States
URI:	http://purl.org/agmes/1.1/NALT
See:	http://agclass.nal.usda.gov/agt/agt.htm

Label:	MEDITAGRI
Definition:	Pour décrire le contenu de ses documents, le Centre de documentation de l'IAM utilise en priorité Agrovoc, thesaurus agricole multilingue de la FAO (http://www.fao.org/agrovoc), qui représente environ 70 % des termes utilisés. Les 30 % restants sont des mots-clés dans le domaine politique, économique et dans celui de l'éducation qui ne sont pas disponibles dans Agrovoc
URI:	http://purl.org/agmes/1.1/MEDITAGRI
See:	http://www.iamm.fr/baseisis/aide/thesaurus.html

Label:	UNBIS Thesaurus
Definition:	The multilingual UNBIS Thesaurus, created by the Dag Hammarskjöld Library, United Nations Department of Public Information, contains the terminology used in subject analysis of documents and other materials relevant to United Nations programmes and activities. It is used as the subject authority of the United Nations Bibliographic Information System (UNBIS)
URI:	http://purl.org/agmes/1.1/UNBIS
See:	http://aims.fao.org/standards/agmes/lib-thesaurus.un.org/

Label:	AGRIS Subject Categories
Definition:	AGRIS Subject Categories are subject categories for indexing of agricultural resources developed and maintained by FAO
URI:	http://purl.org/agmes/1.1/ASC
See:	http://aims.fao.org/website/Browse-Classification-Schemes/sub

Label:	ASFAC Classification Scheme
Definition:	It is used to broadly categorise the subject areas of work of the various organizations in the ASFA Directory.
URI:	http://purl.org/agmes/1.1/ASFAC
See:	http://www.fao.org/documents/show_cdr.asp?url_file=/DOCREP/005/Y2810B/y2810b0g.htm

(continued on next page)

(continued from the previous page)

Label:	CABI Codes
Definition:	CABI Codes are the main subject headings derived from the classification schemes used in the AGRICOLA and AGRIS databases, to group resources in to a specific subject maintained by CAB International
URI:	http://purl.org/agmes/1.1/ASC
See:	n/a

Label:	Global Forest Decimal Classification (GFDC)
Definition:	The Global Forest Decimal Classification created by IUFRO a dynamic, open, user-driven international community of individuals involved in forest-related research committed to improving access to forestry and forest-related information by maintaining, enhancing and applying a flexible, multilingual, hierarchical, controlled subject classification.
URI:	http://purl.org/agmes/1.1/GFDC
See:	http://www.iufro.org/

Label:	FAO Technical Knowledge Classification Scheme
Definition:	The FAO Technical Knowledge Classification Scheme was established as part of the development of the FAO Knowledge Forum. This classification was created with the purpose of mapping FAO staff technical expertise and FAO activities.
URI:	http://purl.org/agmes/1.1/FTKCS
See:	

Label:	Journal of Economic Literature - Classification system
Definition:	n/a
URI:	http://purl.org/agmes/1.1/JEL
See:	http://www.aeaweb.org/journal/jel_class_system.php

Label:	Accession Number
Definition:	Accession Number is a unique number assigned to each record in a database or at an organization. Accession number should always be accompanied by the holding place information
URI:	http://purl.org/agmes/1.1/AN
See:	n/a

Label:	Call Number
Definition:	n/a
URI:	http://purl.org/agmes/1.1/CN
See:	n/a

Label:	CODEN
---------------	--------------

(continued on next page)

(continued from the previous page)

Definition:	A system of alphanumeric codes developed by the American Society for Testing and Materials (ASTM) to uniquely and permanently identify sci-tech serial and monographic publications. Responsibility for administering the system was transferred to Chemical Abstracts Service (CAS) in 1975. The CODEN is used in electronic information systems to process bibliographic data because it is more concise than the full title and less ambiguous than an abbreviated title
URI:	http://purl.org/agmes/1.1/CODEN
See:	http://www.issn.org/

Label:	DOI
Definition:	A system for identifying content objects in the digital environment. DOIs are names assigned to any entity for use on digital networks.
URI:	http://purl.org/agmes/1.1/DOI
See:	http://www.doi.org/

Label:	International Patent Classification
Definition:	A code assigned to a patent or patent-like document by many national industrial property offices and is identified by WIPO/INID Code 51
URI:	http://purl.org/agmes/1.1/IPC
See:	http://www.iso.ch/iso/en/CatalogueDetailPage.CatalogueDetail?CSNUMBER=4084

Label:	International Standard Book Number - ISBN
Definition:	International Standard Book Number. The ISBN is a unique machine-readable identification number used to uniquely mark a book. 145 countries and territories are officially ISBN members.
URI:	http://purl.org/agmes/1.1/ISBN
See:	http://www.isbn.org/

Label:	International Standards Serial Number - ISSN
Definition:	It is an eight-digit number which identifies periodical publications as such, including electronic serials
URI:	http://purl.org/agmes/1.1/ISSN
See:	http://www.issn.org/

Label:	Linking International Standards Serial Number - ISSN-L
Definition:	A specific ISSN, designated to enable collocation or linking between these different medium versions
URI:	http://purl.org/agmes/1.1/ISSN-L
See:	http://www.issn.org/

Label:	Job Number
Definition:	Number allotted to a resource for purposes of identification and retrieval
URI:	http://purl.org/agmes/1.1/JN
See:	n/a

(continued on next page)

(continued from the previous page)

Label:	Microfiche Number
Definition:	Microfiche Number is a unique number identifying a microfiche, i.e. document photographed in reduced size for viewing on projector
URI:	http://purl.org/agmes/1.1/MN
See:	n/a

Label:	Patent Number
Definition:	The format of this field consists of the following parts: name of the country in which the document is issued, phrase 'patent document', patent number, /WIPO letter code
URI:	http://purl.org/agmes/1.1/PN
See:	http://www.iso.ch/iso/en/CatalogueDetailPage.CatalogueDetail?CSNUMBER=4084

Label:	Report Number
Definition:	A number uniquely identifying a report. A report is a formal statement of the results of an investigation, proceedings at a meeting, or of any occurrence, event or matter on which definite information is required
URI:	http://purl.org/agmes/1.1/RN
See:	n/a

Label:	UK Educational Levels – UKEL
Definition:	The UK Educational Levels (UKEL) list provides a set of high-level terms to name educational levels across all UK educational sectors.
URI:	http://purl.org/meg/terms/
See:	http://www.ukoln.ac.uk/metadata/education/ukel/

Label:	FRAD User Tasks
Definition:	Functional Requirements for Authority Data User Tasks
URI:	http://iflstandards.info/ns/fr/frad/fradusertask
See:	http://www.ifla.org/publications/functional-requirements-for-bibliographic-

Label:	FRBRer User Tasks
Definition:	Functional Requirements for Bibliographic Records User Tasks
URI:	http://iflstandards.info/ns/fr/frbr/frbrer/frbrerusertask
See:	http://www.ifla.org/files/cataloguing/frbr/frbr_2008.pdf

Label:	FRSAD User Tasks
Definition:	Functional Requirements for Subject Authority Data User Tasks
URI:	http://iflstandards.info/ns/fr/frsad/frsadusertask
See:	http://www.ifla.org/files/classification-and-indexing/functional-requirements-for-subject-authority-data/frsad-final-report.pdf

Label:	Info-eu-repo
Definition:	Publication Types

(continued on next page)

(continued from the previous page)

URI:	http://purl.org/info:eu-repo/
See:	http://wiki.surf.nl/display/standards/info-eu-repo
Label:	DC2AP Type Vocabulary
Definition:	The set of classes specified by the DC2AP Type Vocabulary, used to categorize the nature or genre of the resource.
URI:	http://purl.org/dc2ap/ves/type
See:	
Label:	DC2AP Format Vocabulary
Definition:	The set of file formats specified by the DC2AP Format Vocabulary, used to categorize the nature or genre of the files.
URI:	http://purl.org/dc2ap/ves/format
See:	
n/d	
Label:	Open Metadata Registry Status Vocabulary
Definition:	n/d
URI:	http://metadataregistry.org/uri/RegStatus
See:	n/d

Table 2 – Vocabulary Encoding Schemes