



ISM Conference 2009

Worldwide Mycotoxin Reduction in Food and Feed Chains

Poster Sessions



9 – 11 September 2009 Tulln, Austria



www.ism2009.at

Table of Contents			Page
	Poster Session O	verview	3
	Wednesday	Poster 001 - 081	4
	Thursday	Poster 082 - 162	11
	Friday	Poster 163 - 243	18
	Poster Abstracts		25
	Session 1	Poster 001 - 044	26
	Session 2	Poster 045 - 072	70
	Session 3	Poster 073 - 126	98
	Session 4	Poster 127- 245	152

Editor:

University of Natural Resources and Applied Life Sciences, Vienna Department for Agrobiotechnology, IFA-Tulln Konrad Lorenz Strasse 20 3430 Tulln, AUSTRIA

Phone: +43 2272 66280 402

Fax: +43 2272 66280 403

E-mail: info@ism2009.at

Poster 150

Simultaneous multi-mycotoxin determination in maize and poultry feeds from Brazil by liquid chromatography/tandem mass spectrometry

Maria de Lourdes Mendes de Souza^{a, b}, Michael Sulyok^c, Otniel Freita Silva^{a, g}, Sônia Soares Costa^b, Catherine Brabet^d, Miguel Machinski Junior^e, Beatriz Leiko Sekiyama^e, Eugenia Azevedo Vargas^f, Rudolf Krska^c and Rainer Schuhmacher^c

^a Embrapa Food Technology. Av das Américas, 29501, 23.020-470, Rio de Janeiro, Brazil

^b Núcleo de Pesquisas de Produtos Naturais, Universidade Federal do Rio de Janeiro, Av. Carlos Chagas Filho, 373, CCS, Bloco H, 21941-902, Rio de Janeiro, Brazil

^c Center for Analytical Chemistry, Department for Agrobiotechnology, IFA-Tulln, University of Natural Resources and Applied Life Sciences, Konrad-Lorenz-Str. 20, A-3430 Tulln, Austria

^d CIRAD, Département PERSYST, UMR QualiSud, TA B-95/16, 73 rue Jean-François Breton, 34398 Montpellier Cedex 5, France

^e Department of Clinical Analysis, Toxicology Laboratory, State University of Maringá, Colombo Avenue, 5790, 87020- 900, Maringá, Paraná, Brazil

^f MAPA Av. Raja Gabaglia, 245, Cidade Jardim, 30380-090, Belo Horizonte, Brazil

^g Institute for Biotechnology and Bioengineering, Centre of Biological Engineering, University of Minho, Campus Gualtar, 4710-057; Braga, Portugal

A multi-mycotoxin method based on High Performance Liquid Chromatography coupled with tandem Mass Spectrometry detection (HPLC-MS/MS) was applied to investigate the occurrence of toxic fungal metabolites in samples collected from a poultry feed factory and integrated poultry farms, in Brazil. A total of 119 samples were analyzed including 38 maize grain samples collected from the factory reception, 36 maize grain samples and 9 maize by-product samples collected during the factory processing, and 36 poultry feed samples collected from poultry farms. Twenty mycotoxins were detected and quantified in the investigated samples: aflatoxins B₁, B₂, G₁, G₂, fumonisins B₁, B₂ and B₃, hydrolyzed fumonisin B₁, zearalenone, agroclavine, chanoclavine, deoxynivalenol, nivalenol, enniatin A, A₁, B, B₁, beauvericin, kojic acid and moniliformin. All samples were contaminated with fumonisins B₁, B₂ and B₃. Contamination levels were low (near the LOD) most of toxins, except for FB₁ and FB₂ that reach 6,000 mg.mL⁻¹ and 2,450 mg.mL⁻¹ in maize and 1,120 mg.mL⁻¹ and 54 mg.mL⁻¹ in feed, respectively. This is the first study dealing with agroclavine, chanoclavine, enniatin A, A₁, B, B₁, beauvericin and kojic acid contamination of maize and poultry feeds from Brazil.

This work was supported by MYCOTOX - INCO-DEV project (ICA4-CT-2002-10043).