



The importance of pine needles in reducing soil erosion following a low/medium intensity wildfire in Junceda (Portugal) – an experimental design

António Bento Gonçalves^{a*}, António Vieira^a, Luciano Lourenço^b, José Salgado^c, Luís Mendes^c, Américo Castro^c, Flora Ferreira Leite^d

^a Centro de Estudos em Geografia e Ordenamento do Território (CEGOT), Núcleo de Investigação em Geografia e Planeamento (NIGP), Departamento de Geografia, Minho University, Campus de Azurém, 4800-058 Guimarães (Portugal);

^b Centro de Estudos em Geografia e Ordenamento do Território (CEGOT), Núcleo de Investigação Científica de Incêndios Florestais (NICIF), Departamento de Geografia da Faculdade de Letras, Coimbra University, 3004-530 Coimbra (Portugal);

^c Departamento de Geografia (M.Sc. Student), Minho University, Campus de Azurém, 4800-058 Guimarães (Portugal);

^d Centro de Estudos em Geografia e Ordenamento do Território (CEGOT), Núcleo de Investigação em Geografia e Planeamento (NIGP), Departamento de Geografia (Pd.D. Student), Minho University, Campus de Azurém, 4800-058 Guimarães (Portugal).

* bento@geografia.uminho.pt

Key-words: Forest fires, low/medium intensity, pine needles, soil erosion, low cost treatments

Introduction

Portugal is traversed each year by fires, showing a positive trend for an annual increase in their number and in the area scorched, as well as an increase in the recurrence of fires (Ferreira-Leite *et al.*, 2011) and occurrence of large fires (Ferreira-Leite, 2010).

As a consequence, the erosion of the top layer of soil occurs. In most Portuguese soils, it is in these layers that the only nutrients are available (Burch *et al.* 1989; Imeson *et al.* 1992; Shakesby *et al.* 1993; Scott & Schulze 1992; Scott 1993; Andreu *et al.* 1994; Coelho *et al.* 1995a, b; Pierson *et al.* 2002; Coelho *et al.* 2004; Cerdà & Lasanta 2005; Benavides-Solorio & MacDonald 2005, Bento-Gonçalves *et al.*, 2008).

In a climate of Mediterranean characteristics, the export of sediments and nutrients usually occurs within the first 4 / 6 months after the fire, so it is essential to study and implement a set of solutions that reduce the loss of materials (Shakesby *et al.*, 1993, Bento-Gonçalves e Coelho, 1995, Shakesby *et al.*, 1996, Walsh, 1998; Ruiz and Luque, 2010, Bento-Gonçalves e Lourenço, 2010, Vega *et al.*, 2010).

However, this process is highly dependent on the recurrence of fires, their intensity and severity, spatial variability of soil hydrophobicity (Jungerius e DeJong 1989; Ritsema e Dekker 1994; Coelho *et al.* 2004) as well as on the local characteristics (altitude, slope, exposure, climate, geology, ...), so it is necessary to adapt the different soil strategies to each situation, as was demonstrated in early research in Central Portugal (Lourenço, 1989; Lourenço and Bento-Gonçalves, 1990; Lourenço, Bento-Gonçalves and Monteiro, 1991).

Objectives

Most of the soil protection measures after fire are expensive and difficult to implement. Thus, the Soil Protec¹ (Emergency measures to protect soils after forest fires) project aims to test low cost treatments to reduce soil erosion immediately after low/medium intensity forest fires in *Pinus pinaster* stands in the northwest of Portugal.

¹ Funded by CEGOT – Centro de Estudos em Geografia e Ordenamento do Território.

We aim to test the role of pine needles available at the actual site of the fire - which are partly due to them falling after the fire of low/medium intensity - as a protective agent against soil erosion (photos 1 and 2) and, also, compared with the role of straw.



Photo 1 and 2. Pine needles

Methodology

Following the great fire (1479.68 ha) which occurred in Geres, in the municipality of Terras de Bouro ('freguesias' of Covide, Rio Caldo and Vilar da Veiga), in August 2011, six plots were installed in a low to medium intensity scorched area of *Pinus pinaster*. Each plot was 10 meters long by 2,5 meters wide (Fig. 1).




Figure 1. Study area (Junceda, Terras do Bouro - Portugal)

Each plot (photo 3) was mapped using a total station (photo 4), thus allowing not only to identify the exact area of each plot, but also to trace 3 cross sections (at the top, in the middle and at the base) in each one, which we repeated systematically.



Photo 3. Burnt control plot;



Photo 4. Survey of the plots and the study area with a total station

Were subsequently applied straw (2, 4 and 8 kg) and pine needles (2 and 4 kg) in five plots and one was left as a control sample (Fig. 2).




Figure 2. Research design for testing post-wildfire urgent mitigation measures

At the same time a topographic survey was conducted, also using a total station, of the slope where the plots were installed.

Conclusions

The geomorphologic Modeling we are implementing through the “Soil Protec” project will help us to understand the processes acting on the slopes and their response to the proposed remediation mechanisms, enabling the production of relevant information for the development of inexpensive strategies for soil protection.

The ultimate goal is to recommend measures that will allow those responsible for the management of the scorched areas, after a swift identification of the critical areas in which the interventions should occur, to obtain the best conservation results at the lowest possible price and without introducing external elements to the forest environment of the



mountain. This procedure will have a significant impact on the conservation of soil, on vegetation recovery, and therefore on the functioning of the ecosystem.

References

- Andreu, V., Forteza, J., Rubio, J. L., Cerni, R. (1994) - "Nutrient losses in relation to vegetation cover on automated field plots". In Rickson, R. J. (Ed.) *Conserving Soil Resources*. Cambridge Univ. Press, 116-126.
- Benavides-Solorio, J., MacDonald, L. H. (2005) - "Measurement and prediction of post-fire erosion at the hillslope scale, Colorado Front Range". *International Journal of Wildland Fire*, 14, 457-474.
- Bento-Gonçalves, A. J. e Coelho, C. de O. A. (1995) - "Wildfire impacts on soil loss and runoff in dry mediterranean forest, Tejo basin, Portugal: preliminary results". *Proceedings of Course on Desertification in a European Context. Physical and Socio-Economic Aspects*; Bruxelles, p. 361-369.
- Bento-Gonçalves, A. J., Vieira, A., Ferreira, A. D. e Coelho, C. (2008) - "Caracterização geomorfológica e implementação de um sistema integrado de informação, em ambiente SIG, no âmbito do projecto RECOVER (Estratégias de remediação de solos imediatamente após incêndios florestais)". *Revista Geografia Ensino & Pesquisa*, V. 12, nº 1, Santa Maria, Rio Grande do Sul, Brasil, p.3721-3735.
- Bento-Gonçalves, A. J. e Lourenço, L. (2010) – "The study and measurement of overland flow and soil erosion on slopes affected by forest fires in Lousã mountain – main results". *Actas das Jornadas Internacionais – Investigación y gestión para la protección del suelo y restauración de los ecosistemas forestales afectados por incendios forestales – 6 a 8 de Outubro de 2010 – Santiago de Compostela.*, p. 107-110.
- Burch, G. J., Moore, I. D., Burns, J. (1989) - "Soil hydrophobic effects on infiltration and catchment runoff". *Hydrological Processes*, 3, 211-222.
- Cerdà, A., Lasanta, T. (2005) - "Long-term erosional responses after fire in the Central Spanish Pyrenees". 1. Water and sediment yield. *Catena*, 60, 59-80.
- Coelho, C. O. A., Shakesby, R. A., Walsh, R. P. D. (1995) - "Effects of forest fires and post-fire land management practice on soil erosion and stream dynamics, Águeda basin, Portugal". *Soil and groundwater research report V*, European Commission, 91p.
- Coelho, C. O. A., Shakesby, R. A., González, M., Terman, L., Walsh, R. P. D., Williams, A. G. (1995) - "IBERLIM: Land management and erosion limitation in the Iberian Peninsula". Final Report to the EC in fulfilment of Project EV5V-0041 Land management practice and erosion limitation in contrasting wildfire and gullied locations in the Iberian Peninsula (unpublished), 246 pp.
- Coelho, C. O. A., Ferreira, A. J. D., Boulet, A. K., Keizer, J. J. (2004) - "Overland flow generation processes, erosion yields and solute loss following different intensity fires". *Quarterly Journal of Engineering Geology and Hydrogeology*, 37, 3, 233-240.
- Ferreira-Leite, F. (2010) – "Caracterização dendrocaustológica do Noroeste Português – o caso dos grandes incêndios florestais". Tese de Mestrado, Universidade do Minho, Guimarães, 94 pp. + anexos.
- Ferreira-Leite, F.; Bento Gonçalves, A. J.; Vieira, A. (2011) - "The recurrence interval of forest fires in Cabeço da Vaca (Cabreira Mountain - Northwest of Portugal)". *Environmental Research III* (2011) 215-221, doi:10.1016/j.envres.2010.05.007.
- Imeson, A. C., Verstraten, J. M., Van Mullingen, E. J., Sevink, J (1992) - "The effects of



- fire and water repellency on infiltration and runoff under Mediterranean type forests”. *Catena* 19, 345-361.
- Jungerius, P. D., DeJong, J. H. (1989) - “Variability of water repellency in the dunes along the Dutch coast”. *Catena*, 16, 491-497.
- Lourenço, L. (1989) — “Erosion of agro-forester soil in mountains affected by fire in Central Portugal”. *Pirineos. A journal on mountain ecology*, Jaca, 133, p. 55-76.
- Lourenço, L. and Bento-Gonçalves, A. (1990) — “The study and measurement of surface flow and soil erosion on slopes affected by forest fires in the Serra da Lousã” . *Proceedings*, International Conference on Forest Fire Research, Coimbra, p. C.05–1 a 13;
- Lourenço, L., Bento-Gonçalves, A. and MONTEIRO, R. (1991) — “Avaliação da erosão dos solos produzida na sequência de incêndios florestais”. *Comunicações*, II Congresso Florestal Nacional, Porto, II vol, p. 834-844;
- Pierson, F. B., Carlson, D. H., Spaeth, K. E. (2002) - “Impacts of wildfire on soil hydrological properties of steep sagebrush-steppe rangeland”. *International Journal of Wildland Fire*, 11, 145-151
- Ritsema, C. J., Dekker, L. W. (1994) - “How water moves in a water-repellent sandy soil”. 2. Dynamics of fingered flow. *Water Resources Research*, 30, 2519-2531.
- Ruiz, J., Luque, I. (2010) - “Actuaciones de emergencia para la defense del suelo tras un gran incendio forestal em Andalucía”. *Actas das Jornadas Internacionais – Investigación y gestión para la proteccion del suelo y restauración de los ecosistemas forestales afectados por incêndios forestales – 6 a 8 de Outubro de 2010 – Santiago de Compostela.*, p. 49-64.
- Scott, D. F., Schulze, R. E. (1992) - “The hydrological effects of a wildfire in a eucalypt afforested catchment”. *S.A. Forestry Journal*, 160, 67-74.
- Scott, D. F. (1993) - “The hydrological effects of fire in South African mountain catchments”. *Journal of Hydrology*, 150, 409-432.
- Shakesby, R. A., Boakes, D. J., Coelho, C. de O. A., Bento Gonçalves, A. J., Walsh, R. P. D. (1993) - “Limiting the erosional effect of forest fires: background to the IBERLIM research programme in Águeda and Tejo basins, Portugal”. *Swansea Geographer*, 30; Swansea, p. 132 - 154.
- Shakesby, R. A., Boakes, D. J., Coelho, C. de O. A., Bento Gonçalves, A. J. and Walsh, R. P. D. (1996) - “Limiting the soil degradation impacts of wildfire in pine and eucalyptus forests, Portugal: comparison of alternative post-fire management practices”. *Applied Geography*, Vol. 16, Nº. 4, Elsevier Science, Ltd, p. 337-355.
- Shakesby, R., Ferreira, A., Ferreira, C., Stoof, C. R., Urbanek, E., Walsh, R. P. D. (2009) - “Wildfires in Portugal: characteristics, soil degradational impacts and mitigation measures”. *Desire*. (<http://www.slideshare.net/medesdesire/wildfire-2009>)
- Vega, J. A., Serradab, R., Hernandoc, C., Rincónd, A., Ocaña, L., Madrigalc, J., Fontúrbela, M. T., Pueyo, J., Aguilar, V., Guijarroc, M., Carrillo, A., Fernández, C., Marinoc, E. (2010) - “Actuaciones técnicas post-incendio y severidad del fuego:Proyecto Rodenal”. *Actas das Jornadas Internacionais – Investigación y gestión para la proteccion del suelo y restauración de los ecosistemas forestales afectados por incêndios forestales – 6 a 8 de Outubro de 2010 – Santiago de Compostela.*, p. 305-308.
- Walsh, R. P. D., Coelho, C. de O. A., Elmes, A., Ferreira, A. J. D., Bento Gonçalves, A. J., Shakesby, R. A., Ternan, J. L. and Williams, A. G. (1998) – “Rainfall simulation plot experiments as a tool in overland flow and soil erosion assessment, North-Central Portugal”. *Geokodynamik*, Band XIX, 3-4, Bensheim, p. 139-152.